Sustainable Energy Management in Modern Data Centers: Integrating Renewable Energy, Smart Grids, and Advanced Storage Technologies

Miroslav Novotná[1], Vandna Banala[2*]

[1]Ostrava, Czech Republic
[2]SOEC, Dev Bhoomi Uttarakhand University, Dehradun, India

Abstract

Modern data centers face a difficult combination of pressures. Their electricity demand is rising rapidly, driven by artificial intelligence (AI); the grids that serve them are under strain; and operators, customers, and governments expect them to cut carbon emissions. The International Energy Agency (IEA, 2025) projects that global data center electricity use will more than double from about 415 TWh in 2024 to around 945 TWh in 2030, with renewables expected to meet about half of the growth in demand. This article examines how sustainable energy management can reconcile these pressures by integrating three sets of technologies: renewable energy supply, smart grid communication and control, and advanced energy storage. It reviews evidence on hourly clean energy procurement, grid-aware and carbon-aware computing, flexible interconnection, battery storage, and the use of stranded power. It also considers how enterprise analytics can bring these elements together into a single management system. The article argues that the three technologies deliver the most value when managed as one integrated system, and it closes with barriers and recommendations for operators, utilities, and policymakers.

Journal of Science, Technology and Social Transformation (2026)

Introduction

Energy management in data centers once meant a narrow set of tasks: keeping the lights on, keeping equipment cool, and keeping the electricity bill under control. Today, it carries far greater weight. Anioke (2025) shows that the growth of data centers is raising total electricity demand, creating new risks for grid stability, and complicating the transition to sustainable energy. A single AI campus can now draw hundreds of megawatts, and some are being planned at gigawatt scale (Chen et al., 2025). Decisions about how such facilities source, use, and store energy affect not only their own costs and emissions but the reliability of entire regional grids.

Three groups of technologies are central to managing this challenge sustainably. Renewable energy provides clean supply. Smart grid technologies provide the communication and control needed to coordinate data centers with the wider power system. Advanced storage provides the ability to move energy in time and to protect both the facility and the grid from sudden disturbances.

Each of these technologies is valuable on its own, but their full potential appears when they are managed together. Renewable supply is variable; storage and flexible demand make it dependable. Smart grid signals tell a data center when clean power is plentiful or when the grid is stressed; storage and flexible computing allow it to respond. Anioke (2026) adds a further dimension: much of the electrical capacity in and around data centers is stranded, either unused inside the facility or curtailed on the grid, and integrated energy management is the key to recovering it.

Corresponding Author: Vandna Banala, SOEC, Dev Bhoomi Uttarakhand University, Dehradun, India, Email: vbansala1@gmail.com

How to cite this article: Novotná, M., & Banala, V. (2026). Sustainable Energy Management in Modern Data Centers: Integrating Renewable Energy, Smart Grids, and Advanced Storage Technologies. *Journal of Science, Technology and Social Transformation* 2(4), 71-74.

Source of support: Nil

Conflict of interest: None

The Energy Challenge Facing Modern Data Centers

The IEA (2025) estimates that data centers used about 1.5% of global electricity in 2024, with consumption growing around 12% per year since 2017. Electricity use in AI-focused

data centers is projected to more than quadruple by 2030. The agency expects renewable generation to grow by more than 450 TWh to serve data center demand by 2035, supported by storage and the wider grid.

AI workloads change not only the amount of demand but its character. Chen et al. (2025) identify several features that set AI data centers apart from conventional loads. Their demand can swing sharply within seconds as large training jobs start and stop. They connect to the grid through power electronic converters rather than motors, which changes how they respond to disturbances. They also tend to cluster in a few regions, concentrating stress on particular networks.

These characteristics have already produced real reliability events. In July 2024, a fault on a 230 kV transmission line in Northern Virginia caused about 1,500 MW of data center load to disconnect from the grid at once, as facilities' uninterruptible power supply systems switched to backup power in response to repeated voltage dips (North American Electric Reliability Corporation [NERC], 2025). No utility equipment caused the disconnection, and grid operators had not anticipated it. NERC (2025) warned that the risk will grow as data center load grows.

Sustainable energy management must therefore address three goals at once: reducing emissions, controlling costs, and supporting grid reliability.

Integrating Renewable Energy

From Annual Matching to Hourly Clean Energy

For most of the past decade, data center operators have bought renewable energy through long-term power purchase agreements (PPAs) and renewable energy certificates, matching their total annual electricity use with an equal volume of clean generation. This approach has helped finance many new wind and solar projects. Its weakness is timing. A data center runs around the clock, while solar and wind output rise and fall with the weather. Annual matching allows a company to claim 100% renewable supply while its facilities still draw on fossil generation for many hours.

A growing number of operators have therefore adopted a stricter goal: 24/7 carbon-free energy, in which every hour of consumption is matched by clean generation on the same grid. Riepin and Brown (2024) modeled the costs and system effects of this approach. They found that hourly matching allows buyers to eliminate the carbon emissions linked to their electricity use and reduces emissions across the wider system by up to 572 kg of CO2 per year for each MWh of participating load. Crucially, they found that hourly matching pushes buyers toward a broader portfolio that includes storage and firm clean power, not just wind and solar.

On-Site and Co-Located Generation

Data centers can also integrate renewable energy physically. Rooftop and ground-mounted solar panels can supply part of a facility's needs, though the power density of modern data centers means on-site solar rarely covers more than a small share of demand. Co-locating a data center with a wind or solar farm can reduce transmission losses and make use of output that the grid cannot absorb.

Kim et al. (2017) caution, however, that co-location alone does not guarantee better outcomes. Their study found that simply placing data centers at wind farms could, in some cases, increase stranded power and have little effect on system cost. The benefit appeared when data centers were operated as dispatchable loads, able to raise or lower demand in response to grid conditions. This finding underlines the central argument of this article: renewable supply delivers its full value only when paired with intelligent management of demand and storage.

Using Stranded Renewable Power

Anioke (2026) describes stranded power as energy or capacity that exists but goes unused, including renewable output that is curtailed because the grid cannot carry it. Data centers with flexible workloads can absorb this surplus. Suitable tasks include AI model training, scientific simulation, and batch data processing, which can be scheduled to run when surplus clean power is available. Kim et al. (2017) showed that optimally placed, dispatchable data centers reduce stranded power and improve system efficiency.

Smart Grid Integration

A smart grid combines physical infrastructure with sensors, communication, and automated control. For data centers, smart grid integration means two-way coordination: the grid tells the facility what conditions are like, and the facility adjusts its behavior in response.

Grid-Aware and Carbon-Aware Computing

One of the most powerful smart grid applications in data centers is the scheduling of flexible workloads according to grid conditions. Radovanović et al. (2023) describe Google's carbon-intelligent computing system, which uses forecasts of next-day grid carbon intensity and of computing demand at each data center cluster. It then sets hourly limits on available capacity, delaying flexible tasks to hours when cleaner power is available. The system operates across Google's global fleet and also lowers peak power demand at each site, reducing strain on local grids. The same approach can respond to price signals, congestion, or curtailment, directing flexible work toward periods of surplus renewable power.

Flexible Interconnection and Demand Response

Smart grid communication also allows data centers to act as flexible resources for the grid. Norris et al. (2025) examined the 22 largest balancing authorities in the United States and found that existing systems could integrate about 76 GW of new load if that load accepted curtailment for an average of just 0.25% of the year. Because grid stress is concentrated

in a small number of peak hours, a data center that reduces its demand during those hours can be connected far sooner and with less new infrastructure.

Flexible interconnection agreements and automated demand response programs formalize this arrangement. They depend on reliable, automated communication between the grid operator and the facility's energy management system, so that the facility can reduce demand within minutes or seconds when asked.

Monitoring and Ride-Through

Smart grid integration also improves reliability. Chen et al. (2025) stress that grid operators need better observation and modeling of data center behavior, because AI loads change quickly and interact with the grid through power electronics. The Northern Virginia event showed what can happen when large loads disconnect unexpectedly (NERC, 2025). NERC (2025) recommends that planners study the potential size of such load losses, model data center behavior during faults, and work with operators so that facilities stay connected through routine disturbances. Shared data and coordinated settings between utilities and data centers are essential smart grid functions.

Advanced Storage Technologies

Energy storage connects renewable supply and smart grid control. It allows data centers to shift energy in time, smooth their own demand, and support the wider grid.

From Backup Power to Grid Asset

Data centers have always used storage in the form of uninterruptible power supply (UPS) batteries, designed to carry the load for a few minutes until backup generators start. NERC (2025) describes how these systems take over instantly when they detect a grid disturbance. Traditionally, this storage sat idle except during outages.

Modern AI data centers are installing much larger battery systems. The IEA (2025) notes that these batteries are increasingly needed to smooth the rapid power swings of AI training workloads, and that they could also support the wider grid if the incentives are right. Storage that was once a pure insurance cost can thus become a working asset.

Roles of Storage in Sustainable Energy Management

Advanced storage serves several functions in an integrated system:

- **Shifting renewable energy.** Batteries can store surplus solar or wind output when it is plentiful and release it when it is scarce, supporting hourly clean energy matching (Riepin & Brown, 2024).
- **Smoothing AI power swings.** Storage can absorb the rapid rise and fall of AI training demand, presenting a steadier load to the grid (Chen et al., 2025; IEA, 2025).
- **Peak reduction and flexibility.** Batteries allow a facility to reduce its grid draw during peak hours without interrupting computing, making flexible interconnection more practical (Norris et al., 2025).
- **Grid services.** With suitable market rules, data center batteries can provide frequency support and other services to the wider grid (IEA, 2025).
- **Ride-through support.** Well-designed storage and controls can help facilities respond to grid disturbances in ways that support, rather than undermine, system stability (NERC, 2025).

Storage also helps recover stranded capacity. Anioke (2026) notes that data centers hold large amounts of power capacity in reserve for redundancy. Batteries that serve both as reserve and as active grid resources make better use of that investment.

Bringing It Together: Integrated Energy Management

The three technology groups deliver the most value when managed as a single system. Integrated energy management combines forecasts of renewable output, grid conditions, and computing demand; decides when to run flexible workloads, when to charge and discharge storage, and when to draw from or support the grid; and does so within strict limits on reliability.

This requires bringing together data from many sources: power meters, battery management systems, workload schedulers, grid signals, energy contracts, and financial systems. Enterprise platforms can help. Asuri (2019) examines how embedded analytics and modernized user interfaces within enterprise resource planning (ERP) systems can improve visibility and operational performance. Asuri (2023) describes a framework for integrating large language models with enterprise platforms to enable intelligent automation. Applied to energy management, such tools could link operational energy data with procurement, cost, and sustainability reporting, so that managers can see in one place how much clean energy they are using, how much flexibility they provide, and what it is worth.

Anioke (2025) argues that sustainable data center growth depends on coordination between data centers and the grid. Integrated energy management is the practical form of that coordination.

Barriers to Implementation

Several barriers slow the adoption of integrated sustainable energy management.

Cost and capital intensity. Hourly clean energy matching and large battery systems require significant investment. AI data centers are also very capital-intensive, so operators are reluctant to leave hardware idle for the sake of flexibility (IEA, 2025).

Market and regulatory rules. Many interconnection processes offer only firm capacity, and many markets do not reward flexible demand or allow behind-the-meter storage to provide grid services.

Data availability. Hourly matching and carbon-aware scheduling depend on data about grid emissions and conditions that is not available in every market.

Reliability concerns. Operators are cautious about any change that could affect uptime. Coordination with grid operators on ride-through behavior is still developing (NERC, 2025).

Organizational complexity. Energy procurement, facilities, IT, and finance teams often work separately, making integrated management difficult without shared systems and goals.

Recommendations

Eight steps would help data centers achieve sustainable energy management:

1. **Move from annual to hourly clean energy matching** to drive investment in storage and firm clean power (Riepin & Brown, 2024).
2. **Operate flexible workloads as dispatchable loads,** particularly where curtailed renewable power is available (Anioke, 2026; Kim et al., 2017).
3. **Adopt carbon-aware and grid-aware scheduling** for workloads that can wait (Radovanović et al., 2023).
4. **Pursue flexible interconnection and demand response** to connect sooner and support the grid at peak times (Norris et al., 2025).
5. **Design storage as a multi-purpose asset** that smooths AI demand, shifts renewable energy, and provides grid services (Chen et al., 2025; IEA, 2025).
6. **Coordinate ride-through settings and share data** with grid operators to prevent unexpected load losses (NERC, 2025).
7. **Build integrated energy management systems** that link operational, financial, and sustainability data (Asuri, 2019, 2023).
8. **Reform markets and tariffs** so that flexibility, storage services, and clean energy use are fairly rewarded (Anioke, 2025).

Conclusion

Modern data centers sit at the meeting point of three energy transitions: the rapid growth of digital demand, the shift to renewable power, and the modernization of electrical grids. Managing energy sustainably in this environment requires more than buying renewable certificates. It requires integrating clean supply, smart grid coordination, and advanced storage into a single, intelligently managed system. Hourly clean energy procurement aligns supply with actual demand. Grid-aware and carbon-aware computing allows facilities to follow clean power and relieve grid stress. Flexible interconnection turns idle grid capacity into room for growth. Advanced storage smooths AI power swings, shifts renewable energy in time, and can support the wider grid. Enterprise analytics and automation tie these elements together. With supportive market rules and close cooperation between operators and utilities, data centers can become not only large consumers of clean energy but active partners in a more reliable and sustainable power system.

References

Anioke, C. (2025). How data centers affect the electrical grid: Implications for electricity demand, grid stability, and energy sustainability. *SAMRIDDHI: A Journal of Physical Sciences, Engineering and Technology, 17*(2), 61–66.

Anioke, C. (2026). Stranded power from data centers and possible uses. *Journal of Emerging Intelligence and Engineering Technologies, 3*(1), 41–49.

Asuri, R. (2019). Transforming legacy enterprise resource planning systems through SAP Fiori expansion and embedded analytics to enhance user experience and operational performance in SAP ECC. *SAMRIDDHI: A Journal of Physical Sciences, Engineering and Technology, 11*(2), 176–190. https://doi.org/10.18090/samriddhi.v11i02.13

Asuri, R. (2023). A strategic enterprise framework for integrating large language models with SAP Business Technology Platform to enable intelligent automation and operational excellence. *International Journal of Humanities and Information Technology, 5*(1), 87–103. https://doi.org/10.21590/ijhit.05.01.7

Chen, X., Wang, X., Colacelli, A., Lee, M., & Xie, L. (2025). *Electricity demand and grid impacts of AI data centers: Challenges and prospects* (arXiv:2509.07218). arXiv. https://doi.org/10.48550/arXiv.2509.07218

International Energy Agency. (2025). *Energy and AI*. IEA. https://www.iea.org/reports/energy-and-ai

Kim, K., Yang, F., Zavala, V. M., & Chien, A. A. (2017). Data centers as dispatchable loads to harness stranded power. *IEEE Transactions on Sustainable Energy, 8*(1), 208–218. https://doi.org/10.1109/TSTE.2016.2593607

Norris, T. H., Profeta, T., Patiño-Echeverri, D., & Cowie-Haskell, A. (2025). *Rethinking load growth: Assessing the potential for integration of large flexible loads in US power systems* (NI R 25-01). Nicholas Institute for Energy, Environment & Sustainability, Duke University. https://nicholasinstitute.duke.edu/publications/rethinking-load-growth

North American Electric Reliability Corporation. (2025). *Incident review: Considering simultaneous voltage-sensitive load reductions*. NERC. https://www.nerc.com/pa/rrm/ea/Documents/Incident_Review_Large_Load_Loss.pdf

Radovanović, A., Koningstein, R., Schneider, I., Chen, B., Duarte, A., Roy, B., Xiao, D., Haridasan, M., Hung, P., Care, N., Talukdar, S., Mullen, E., Smith, K., Cottman, M., & Cirne, W. (2023). Carbon-aware computing for datacenters. *IEEE Transactions on Power Systems, 38*(2), 1270–1280. https://doi.org/10.1109/TPWRS.2022.3173250

Riepin, I., & Brown, T. (2024). On the means, costs, and system-level impacts of 24/7 carbon-free energy procurement. *Energy Strategy Reviews, 54*, Article 101488. https://doi.org/10.1016/j.esr.2024.101488